


CIR.7000 | Single Output Shower W/ Rain Head



COMPONENTS

- HH1040 - 16" Shower Arm
- RHB.10R - 10" Shower Head
- CIR.4000VT - Shower Trim
- JVH.2693 - 3/4" Shower Valve

SHOWER VALVE:

- Thermostatic shower valve
- Valve includes service stops
- Turn bottom handle to set temp.
- Top handle controls water volume

SHOWER HEAD:


- Solid brass construction
- 11 LPM flow rate

See individual component specification sheets on following pages for further details.


HH1040 | Round Shower Arm - 400mm - 16"

SPECIFICATIONS:


- Solid Brass Shower Arm
- With Sliding Flange



Technical Diagram




RHB.10R | 10" Round Brass Shower Head




SPECIFICATIONS:

- Solid Brass Shower Head
- Scrub rubber nozzles to easily clean water sediment
- 11 LPM Flow Rate
- 121 Nozzles

Technical Diagram




CIR.4000VT | Thermostatic Shower Trim



SPECIFICATIONS:

- Solid Brass construction
- Valve not included - Trim only
- Bottom knob controls temperature
- Top knob controls volume and diversion
- Use in tub filler or shower applications


Technical Diagram



JVH.2693 | 3/4" Thermostatic Mixer Valve - 1 Output

SPECIFICATIONS:

- Solid Brass construction
- Single output
- Left handle controls temperature
- Right handle controls volume
- Use in tub filler or shower applications
- Thermostatic Valve Flow Rate - 36 LPM @ 3 BAR
- Extension Available - JVH.4101E**



Technical Diagram

