



SER.7000 | Single Output Shower Set W/ Shower Head & Arm



COMPONENTS

- JHW.7C - 7" Head w/8" Arm
- SER.4000T - Shower Trim
- JVH.4101 - 3/4" Shower Valve

SHOWER VALVE:

- Thermostatic shower valve
- Valve includes service stops
- Turn bottom handle to set temp.
- Top handle controls water volume.

SHOWER HEAD:


- Solid brass construction
- 11 LPM flow rate

See individual component specification sheets on following pages for further details.


JHW.7C | 7" Brass Shower Head With 8" Wall Mounted Shower Arm

SPECIFICATIONS:


- Solid Brass construction
- With Swivel action
- Shower arm has sliding flange



Technical Diagram




SER.4000T | Thermostatic Shower Trim



SPECIFICATIONS:

- Solid Brass Construction
- Valve not included - Trim only
- Turn bottom handle to control temperature.
- Turn top handle to control volume.


Technical Diagram




JVH.4101 | 3/4" Thermostatic Valve With Volume Control Page 1 of 2

SPECIFICATIONS:

- Turn bottom knob to control temperature.
- Turn top knob to control water flow.
- Thermostatic Valve Flow Rate - 36 LPM @ 3 BAR
- Extension Available - JVH.4101E**



Technical Diagram



JVH.4101 | 3/4" Thermostatic Valve With Volume Control Page 2 of 2

Water Flow Diagram

